NextGen Additional E&M Codes

Sometimes you need to add E&M Codes that you don't immediately see on the **Finalize Tab** (E&M template). To add such codes, click on the **Additional E&M Code** link on the **Finalize Tab**:

	0	тов 🖉	HTN ⊘DM	Ø CAD
Specialty v Family Practice Visit Type v Office Visit				
Intake Histories SOAP Finalize	Checkout		_	
Order Management Document Library Procedures Tobacco Cessation]				
Care Guidelines Global Days	Pan	nel Control: 🤅	Toggle 🕤	Cycle 🖌
eneral				(
Established patient C New patient PE Type: © Multi system C Single sy	system:	E	E&M Guidelines:	1997: We
oday's Assessment				(
Diagnosis Description	6	ode St	Add Com	mon Assessn
Lethargy	78	80.79		
L Lethargy		50.79	(Sort	Remov
Lethargy	Add	80.79	Sort	Remov
rovider Sign Off valuation and Management Coding	Add	Edit	(Sort)	(Remov
rovider Sign Off valuation and Management Coding ledical Decision Making View MDM Guidelines View Risk Table Counseling	Add	Edit	Sort	Remov
rovider Sign Off valuation and Management Coding Medical Decision Making View MDM Guidelines View Risk Table Counseling O Straight forward O Low complexity Counseled greater th	Add Add	Edit	Sort	(Remov
I Lethargy Irrovider Sign Off valuation and Management Coding Atdical Decision Making View MDM Guidelines View Risk Table Counseling O Straight forward C Low complexity C Moderate complexity C High complexity	Add Chan 50% of time and doc utes): • • • •	Edit	Sort	(Remove
L Lethargy rovider Sign Off valuation and Management Coding fedical Decision Making View MDM Guidelines View Risk Table © Straight forward © Low complexity © Moderate complexity © High complexity Total visit time (minu Total counsel time (minu Tota	Add (Add (than 50% of time and dou utes): • • • • • • • • • • • • • • • • • • •	Edit Edit cumented cor counseling Det	Sort)	(Remov
I Lethargy rovider Sign Off valuation and Management Coding Medical Decision Making View MDM Guidelines View Risk Table O Straight forward Counseled greater the	Add Add (minutes): Add Common	Edit Edit cumented cor	Sort tent tails	(Remove
rovider Sign Off valuation and Management Coding Straight forward C Low complexity C Gounseling Medical Decision Making View MDM Guidelines View Risk Table Counseling Straight forward C Low complexity C Low complexity C and visit time (minu Total counsel time (minu Tot	Add than 50% of time and doc utes): SNOMED Visit Type (optio Preventive new: Preventive new: Preventive new: Preventive new: Preventive n	Edit Edit cumented cor counseling Def	Sort tent tails care Preventive (Codes Codes
1 Lethargy Provider Sign Off Evaluation and Management Coding Addical Decision Making View MDM Guidelines View Risk Table Counseling Straight forward C Low complexity Counseled greater th Moderate complexity C doel wish time (minu Total visit time (minu Valuation and Management Code Visit code: Additional E&M Code View Other Codes + SI Additional E&M Code View Other Codes + SI Modifier(s): Source Counsultation: Fastemente: Consultation: Source Visit code: Source Counseling: Source Visit code: Source Source Source Visit code: Source Source Sou	Add than 50% of time and doc utes): \$	Edit Edit Edit Edit Edit Edit Edit Edit	Sort tent tails icare Preventive (Preventive counseling:	Codes C Post Op: C 99024
1 Lethargy Provider Sign Off Evaluation and Management Coding Medical Decision Making View MDM Guidelines View Risk Table C Straight forward C Low complexity C Straight forward C Low complexity C Moderate complexity C Counseled greater th C Moderate complexity C Total visit time (minu Total counsel time (minu	Add than 50% of time and doc utes): • • • • • • • • • • • • • • • • • • •	Edit Edit Edit Edit Edit Edit Edit Edit	Sort atent tails tails taire Preventive (preventive counseling: C 99401	Codes C Post Op: C 99024 Prenatal:

This brings up the following popup:

established:	Preventive established:	Prolonged services:
99211	C 99391 (Infant less than 12 months)	Face to face: Total time: minutes
99212	C 99392 (1 - 4 years)	
99213	C 99393 (5 - 11 years)	
99214 0 00215	C 99594 (12 - 17 years)	CI Start Time: End Time:
99215	O 99396 (40 - 64 years)	Nan face to face. Total time minutes
	C 99397 (65 years and older)	Non-race to race: Total time:
		(C) Start Time:
Behavioral Health:		
sychotherapy w/ EM:		Crisis Psychotherapy Total time: minutes
C 90833 (30 min)	90863 (Med Management w/psychoth	nerapy)
90836 (45 min)		
0 90626 (60 min)		
	Health Coder	
dditional Behavioral	incului coucs.	
Additional Behavioral	ntion	
Additional Behavioral	ption:	Clear
Additional Behavioral Code: Descri	ption:	Clear
dditional Behavioral Code: Descri	ption:	Clear
dditional Behavioral Code: Descri Code: Descri Code: Edite:	ption:	Clear Urgent care/After hours:
dditional Behavioral Code: Descri	ption:	Clear Urgent care/After hours:
Idditional Behavioral	ption: Description:	Clear Urgent care/After hours: Clear C 99050 (Services provided during non-regular hours) O 99051 (Services provided during evenings, weekends, or holidays)

There are a few codes you can pick directly on this popup, but usually you'll need to click the **Code** or **Description** box in the **Other** section, circled above. If you click in **Code** it will sort in numerical order by codes; if you click in **Description**, it will sort in alphabetical order:

Service Item Id	Description	_
S0613	ANNUAL BREAST EXAM (BCBS)	
S0612	ANNUAL GYN EXAM EST PT (BCBS)	
S0610	ANNUAL GYN EXAM NEW PT BCBS	
G0439	Annual Wellness Visit, Established	
G0438	Annual Wellness Vst, Initial	
99363	ANTICOAG MGMT, INIT	
99364	ANTICOAG MGMT, SUBSEQ	
99450	Basic life/disability examination	
G0101	CA SCREEN; PELVIC/BREAST EXAM	
G0108	DIAB MANAGE TRN PER INDIV	
G0109	DIAB MANAGE TRN IND/GROUP	
99499	E/M service NEC	
99461	INITIAL NEWBORN SCREENING	
G0372	MD service required for PMD	
Q0091	OBTAINING SCREEN PAP SMEAR	
G0177	OPPS/PHP; TRAIN & EDUC SERV	-
59430	POSTPARTUM CARE	
99496	Transitional Care Mgmt, High Complexity, w/in 7 Days	
99495	Transitional Care Mont, Mod Complexity, w/in 14 Days	

Make your selection, for example **99495**, **Transitional Care Mgmt**, **Mod Complexity**, **w/in 14 Days**, at the bottom of the list. This returns you to the previous popup, with this charge entered:

stablished:	Preventive established:	Prolonged services:		
99211	C 99391 (Infant less than 12 months)	Face to face: Total time: minutes		
99212 C 99392 (1 - 4 years)				
99213	C 99393 (5 - 11 years)			
99214	C 99394 (12 - 17 years)			
99215	C 99395 (18 - 39 years)	CI Start Time: End Time:		
	C 99396 (40 - 64 years)	Non-face to face: Total time: minutes		
	C 99397 (65 years and older)			
Sehavioral Health:		· · · · · · · · · · · · · · · · · · ·		
		and the second		
Psychotherapy w/ EM:	and the second	Crisis Psychotherapy Total time: minutes		
Psychotherapy w/ EM: © 90833 (30 min)	90785 (Interactive Psychotherapy)	Crisis Psychotherapy Total time: minutes		
Psychotherapy w/ EM: ○ 90833 (30 min) ○ 90836 (45 min)	☐ 90785 (Interactive Psychotherapy) ☐ 90863 (Med Management w/psychoth	Crisis Psychotherapy Total time: minutes		
Psychotherapy w/ EM: 90833 (30 min) 90836 (45 min) 90838 (60 min)	 90785 (Interactive Psychotherapy) 90863 (Med Management w/psychoth 	Crisis Psychotherapy Total time: minutes		
Sychotherapy w/ EM: ○ 90833 (30 min) ○ 90836 (45 min) ○ 90838 (60 min)	 90785 (Interactive Psychotherapy) 90863 (Med Management w/psychoth 	Crisis Psychotherapy Total time: minutes		
sychotherapy w/ EM: 90833 (30 min) 90836 (45 min) 90838 (60 min) dditional Behavioral He	90785 (Interactive Psychotherapy) 90863 (Med Management w/psychoth ealth Codes:	Crisis Psychotherapy Total time: minutes		
Sychotherapy w/ EM: 90833 (30 min) 90836 (45 min) 90838 (60 min) dditional Behavioral He Code: Descript	90785 (Interactive Psychotherapy) 90863 (Med Management w/psychoth ealth Codes:	Crisis Psychotherapy Total time: minutes		
sychotherapy w/ EM: C 90833 (30 min) C 90836 (45 min) C 90838 (60 min) dditional Behavioral He Code: Descript	90785 (Interactive Psychotherapy) 90863 (Med Management w/psychoth ealth Codes: ion:	Crisis Psychotherapy Total time: minutes		
sychotherapy w/ EM: C 90833 (30 min) C 90836 (45 min) C 90838 (60 min) dditional Behavioral He Code: Descript	90785 (Interactive Psychotherapy) 90863 (Med Management w/psychoth ealth Codes: ion:	Crisis Psychotherapy Total time: minutes eerapy) Clear		
sychotherapy w/ EM: C 90833 (30 min) C 90836 (45 min) C 90838 (60 min) dditional Behavioral He Code: Descript	90785 (Interactive Psychotherapy) 90863 (Med Management w/psychoth ealth Codes: ion:	Crisis Psychotherapy Total time: minutes erapy) Clear		
syschotherapy w/ EM: 90833 (30 min) 90836 (45 min) 90838 (60 min) additional Behavioral He Code: Descript bthen code: Descript	O 90785 (Interactive Psychotherapy) O 90863 (Med Management w/psychoth ealth Codes: ion: scription:	Crisis Psychotherapy Total time: minutes erapy) Clear Urgent care/After hours:		
syschotherapy w/ EM: Q 90833 (30 min) Q 90836 (45 min) Q 90838 (60 min) additional Behavioral He Code: Descript When Code: Descript State Odde: Descript	Orall Orall Care Mamt. Mod Complexit	Crisis Psychotherapy Total time: minutes erapy) Clear Urgent care/After hours: Clear C 99050 (Services provided during non-regular hours)		
bychotherapy w/ EM: 90833 (30 min) 90833 (60 min) 90838 (60 min) 90838 (60 min) dditional Behavioral He Code: Descript bthere Code: Descript Trae	Organization of the systematic systemater systemater systemater systemater s	Crisis Psychotherapy Total time: minutes terapy) Clear Urgent care/After hours: Clear C 99050 (Services provided during non-regular hour C 99051 (Services provided during evenings, weekends, or holidays)		
sychotherapy w/ EM: 90833 (30 min) 90836 (45 min) 90838 (60 min) additional Behavioral He Code: Descript bhes code: Descript	Organizational Care Mgmt, Mod Complexit)	Crisis Psychotherapy Total time: minutes terapy) Clear Urgent care/After hours: Clear C 99050 (Services provided during non-regular hour C 99051 (Services provided during evenings, weekends, or holidays) Cancel		

From here, click **Save & Close**, and you'll return to the Finalize tab, w/ the code displaying:

						Add Co	ommon Assessm
# Diagnosis Description					Code	Status	
1 Lethargy					780.79		
				Add	Edit	Sort	Remove
Provider Sign Off							
Evaluation and Management Coding							0
Medical Decision Making View MDM Guidelines View	/ Risk Table	C	Counseling				
C Straight forward C Low complexity			Counseled greate	r than 50% of time a	nd documented	content	
C Moderate complexity C High complexity		1	Total visit time (mi	nutes):	Counseling	Details	
		1	Fotal counsel time	(minutes):			
Evaluation and Management Code							
Visit code: 99495	Additional E8	8.M Code 🗢 Viev	v Other Codes *	SNOMED Visit Type	(optional) * M	ledicare Preventiv	ve Codes 👩
	New patient:	Established:	Consultation:	Preventive new:	Preventive	Preventive	Post Op:
	C 99201	C 99211	C 99241	C 99381	established:	counseling:	C 99024
Calculate Code Submit Code	C 99202	C 99212	C 99242	C 99382	C 99391	C 99401	Prenatal:
	C 00000	C	C 00242	C 00303	C 00303	C	Marth A Co

Click **Submit Code**, & you're done.

Over time it is likely there will be more billing codes that we'll need to utilize in this manner. If you ever have a code you need to use that you don't find here, please notify the EHR Team, and we'll add it to this picklist.

R. Lamar Duffy, M.D. Associate Professor University of South Alabama College of Medicine Department of Family Medicine