# NEXTGEN GENERIC PROCEDURE TEMPLATE NEXPLANON INSERTION/REMOVAL DEMONSTRATION


This demonstration reviews how to use the Generic Procedure Template. In this example we'll document insertion & removal of Nexplanon, & show how to save that as a preset for future use.

This has been prepared for EHR 5.8 & KBM 8.3. You may see minor cosmetic differences from some of the graphics used here, & subsequent updates may display cosmetic & functional changes.

Use the keyboard or mouse to pause, review, & resume as necessary.

# Notes

- There is not a dedicated template in NextGen to deal with Nexplanon insertion or removal, so we need to use the Generic Procedure template.
- While you can search for the necessary diagnosis & procedure codes, it will helpful to know these codes ahead of time, perhaps by keeping them on a "cheatsheet" in the office:
  - Insertion: Diagnosis code V25.5, Procedure code 11981, Device J7307.
  - Removal: Diagnosis code V25.43, Procedure code 11982.
  - Removal with Reinsertion: Diagnosis code V45.52, Procedure code 11983, Device J7307.




a /

b

ndication: Description: Code:	Pre-procedure care: Consent was obtained Consent Procedure/risks were explained Questions were answered Prepped and draped	
As with most procedure templates, you can use checkboxes to indicate appropriate preoperative discussions took place.	the	
Complications:		
form, though it man clinics to use the pa	nsent to generate a full consent y cases it will be simpler for per consent forms they already into NextGen after completion.	
	Submit to Superbill	el


Provider:	Consent by:		
Type of procedure:			
Procedure date: / /	To be scheduled in the near future		
Procedure, treatment alternat	ives, risks and benefits were explained. specific	risks discussed	
Bleeding	Infection	Repeat procedure	
Damage to other organs	Possible continued pain	Other:	
🗖 Death	Possible conversion to open surger	y ·	
🔲 Failure rate	Possible loss of function		
Questions were answered			
The patient agrees, verbalizes	understanding and wants to proceed		
The patient's guardian/parent	t(s) agrees, verbalizes understanding, and want	s to proceed	
Educational handouts given			
Preoperative instructions and	paperwork completed		
Comments:			10
l			
This is what t	he generic consent	templated Task	Save & Close Cancel

Inis is what the generic consent template looks like. It is a useful tool if you don't already have a consent form tailored to the procedure you're performing.



X

A num Double	ber of phrasings for this code appea e-click on whichever you prefer.	<b>^.</b>
<b>Q</b> V25.5		Search X
All Diagnoses Patient's Diagnoses Patient's Chronic Diagno Favorites Metabolic CV Pulmonary Misc Categories Abnormal Tests/L Accucheck Acute Otitis All FX Arrhythmias Arthritis	Clinical Description and ICD Code Encounter for implantable subdermal contraceptive insertion   V25.5 Encounter for insertion of implantable subdermal contraceptive   V25.5 Health visit for insertion of an implantable subdermal contraceptive (type of birth control) Implantable subdermal contraceptive insertion   V25.5 Insertion of implantable subdermal contraceptive   V25.5 Insertion of implantable subdermal contraceptive   V25.5	method which is placed be
*	5 rows returned Sel	lect Cancel



### Generic - Procedure

#### Use the checkboxes and popups in the Anesthesia Indication: section to indicate the local anesthetic you used. Consent Description: Insertion of implan OURSHIDDES WERE SUBWERED Procedure: Prepped and draped Description: Code: Insert non-biodegradable drug del implant 11981 Skin of Lupper arm inspected, cleaned w/ Hibiclens, & anesthetized. Nextplanon placed SQ w/ introducer w/o difficulty. nesthesia: 🗌 None Dose %: Units: mg 2% lidocaine with epinephrine Digital 🔽 Local 🗌 Nerve 🔲 IV 3ml Digital Local Nerve IV ma Findings 1st Anesthesia Unit × X Procgenanesth 1st Anesthesia Percent X 3 Co Benzocaine 0.25% N 0 00 .00 10 15 20 Demerol 0.5% Diazepam 1% .25 .50 .75 25 30 40 Ethyl Chloride 1.5% Por llow up: Lidocaine 2% 3 1 2 50 60 70 In eturn for follow up: Lidocaine jelly it fa L Lidocaine topical or ib 4 5 6 80 90 100 lidocaine with epinephrine Sooner if symptoms persist/worsen 7 8 9 200 300 400 Marcaine PRN Valium Close 500 600 700 4 Versed Xylocaine Clear Close OK Cancel Submit to Superbill Save & Close Cancel

X


	<ul> <li>Proced</li> </ul>	

Tr

rocedura: Description:	needed.	Code:		Questions were answered Prepped and draped	
Insert non-biodegradable drug de	l implant	11981			
Skin of L upper arminspected, clea	aned w/ Hibiclens, & ar	nesthetized. Nextplanon placed SQ	w/ introducer w/o diffic	ulty.	
Anesthesia: 🗖 None Iidocaine with epinephrine		Inits: 3ml □ Digital ☑ Local □ □ Digital □ Local □		Specify fo plans if de	llow-up
Findings:				plans it de	sirea.
Complications:					
None					
ost procedure:			Retu	w up: urn for for w up:	
Leave butterfly bandage in place t	ill it falls off, unsually 1	-3 days. Tylenol or ibuprofen for pa		Sooner if symptoms persist/worsen PRN	
Dressing/wou When a	done clic	k Submit to			
		Save & Close			mit to Superbill

×

Indication:			Pre-procedure care:
Description:	Code:	Status:	Consent was obtained
Insertion of implantable subdermal contraceptive	V25.5		Procedure/risks were explained
Procedure:			Questions were answered
Description:	Code:		Prepped and draped
Insert non-biodegradable drug del implant	11981		
Anesthesia: None in the futur Iidocaine with epine in the futur Findings: Closing the	xpect e, you	to use this can save i	s procedure repeatedly t as a preset. Before he Save icon.
Complications:			
Post procedure:			Follow up:
Instructions: Leave butterfly bandage in place till it falls off, unsually	1-3 days. Tylenol	l or ibuprofen for pain.	Return for follow up:
Dressing/wound care:			
			Submit to Superbill Save & Close Cancel



02/26/2014 10:59 AM : "*USA S	DAP" X					
Assessments My Plan A/P Details Labs Diagnostics	1. Assessment	Insertion of implantal	ole subdermal co	ntraceptive (V25.5).		
View Iminan Docum Office Day Orders Physical The poor Orders Health For Docum	ent; the ent) wil 1 want a	e regula l include standa	r visit e the lone p	SOAP Tab note (Ma procedure procedure i rocedures	ster note. note, yo	u
Resident-Attending discussion		ding saw patient				/Update Remove
Provider Comm.	Meds	Procedures	Patient Plan	Visit Document Document Library	EM Coding	Dictation

02/26/2014 10:59 AM : "\*USA SOAP" X

Another thing to remember about the Generic Procedure Template: Unlike the dedicated procedure templates, which often submit the charge for both the procedure & medication/device, the Generic Procedure Template only posts the procedure charge to the superbill.

Cardianary

To post the charge for the Nexplanon device, click Office Diagnostics at the bottom of the SOAP Tab.

Additional

Image

**Office Diagnostics** 

## Assessment/Plan

Assessments	1.	Assessment	Insertion of implantable subdermal contraceptive (V25.5).	
My Plan				
A/P Details				
Labs				
Diagnostics				
Referrals				
Office Procedures				
leview/Cosign Orders				
iew Immunizations				
Office Diagnostics				
hysical Therapy Orders				
Health Promotion Plan				

Order Sets: (Hig	hlight a row to select.)		Display order set: Office Meds
Order Set	Office Diagnostic Description	Proc. Code Side	Diagnosis Description
Office Meds	Methylprednisolone Succ (Solu-Medrol) IM/IV Up To 40 mg	J2920	Allergic Rhinitis
Office Meds	Mirena Levonorgestrel IUD	17302	INSERTION OF IUD
Office Meds	Nexplanon Etonogestrel Contraceptive Implant	J7307	Insertion of implantatie subderm
Office Meds	NORMAL SALINE SOLUTION INFUS 1000ml	J7030	Dehydration
Office Meds	NORMAL SALINE SOLUTION INFUS 250ml	J7050	Dehydration
Office Meds	NORMAL SALINE SOLUTION INFUS 500ml	J7040	Dehydration
Office Meds	Pen G Benz (Bicillin LA) Per 100K Units	J0561	Strep Throat
	Pen G Benz/Procaine (Bicillin CR) Per 100K Units	10558	Strep Throat
▲    elect/Update Dia Drder:	gnosis: Set Displa then scrol	y orde	r set to Office Meds & select Nexplanon.
I        elect/Update Dia     Drder:	gnosis: Set Displa then scrol	y orde	r <b>set</b> to Office Meds & select Nexplanon.
	gnosis: Set Displa then scrol	y orde	r <b>set</b> to Office Meds & select Nexplanon.
	gnosis: Set Displa then scrol	<mark>y orde</mark> I down a	r <b>set</b> to Office Meds & select Nexplanon.
	gnosis: Set Displa then scrol	<mark>y orde</mark> I down a	r <b>set</b> to Office Meds & select Nexplanon.
	gnosis: Set Displa then scrol clear Normal value/range: Unit of m	<mark>y orde</mark> I down a	r <b>set</b> to Office Meds & select Nexplanon.
	gnosis: Set Displa then scrol clear Normal value/range: Unit of m	<mark>y orde</mark> I down a	r <b>set</b> to Office Meds & select Nexplanon.
	gnosis: Set Displa then scrol clear Normal value/range: Unit of m	<mark>y orde</mark> I down a	r <b>set</b> to Office Meds & select Nexplanon.
	gnosis: Set Displa then scrol Clear Unit of m	y order down d	r set to Office Meds & select Nexplanon. Add or Opdate Assessm
	gnosis: Set Displa then scrol clear Normal value/range: Unit of m	y order down d	r <b>set</b> to Office Meds & select Nexplanon.
	gnosis: Set Displa then scrol Clear Unit of m	y order down d	r set to Office Meds & select Nexplanon. Add or Opdate Assessm
oday's Orders:	gnosis: Set Displa then scrol Clear Unit of m	y order down d	select Nexplanon. Add of Opdate Assessments

Indication: Description: Insertion of implantable subdermal con Procedure:	Code: Status: traceptive V25.5	Pre-procedure care:	Consen
Description:	Code:	Prepped and draped	
method is	nent the removal of Nex s similar, except you wo code V25.43 & proced mg 2% 3ml Digital V Local Nerve mg Digital Local Nerve	ould select ure code 11982.	
Complications None Post procedure Instructions:	nent the removal & rein on, you would use diagno re code 11983.		
Dressing/wound care:		(Submit to Su	uperbill
		Save & Close	Cancel

# Generic - Procedure

To use these presets in the future, click the Open Pres I con & make a selection.	
Anesthesia: None Dose %: Units:   mg Digital   mg Digital   Findings:   Complications:   Post procedure:   Instructions:	Ngkbm Td Dbp Filter         Set Name         Nexplanon Insertion-RLD         Nexplanon Removal & Reinsertion-RLD         Nexplanon Removal-RLD         Shoulder dexamethasone-RLD
Discrime/wound care:	<u>R</u> efresh OK Cancel
Dressing/wound care:	Submit to Superbill Save & Close Cancel

This concludes the NextGen Generic Procedure Template— Nexplanon Insertion/Removal demonstration.

Don't suffer from insanity—enjoy every minute of it.

R. Lamar Duffy, M.D. Associate Professor University of South Alabama College of Medicine Department of Family Medicine