

NEXTGEN PROCEDURE TEMPLATE DEMONSTRATION

This demonstration reviews usage of the Procedure Template & related popups. Details of the workflow will likely vary somewhat from clinic to clinic, but this should give you a good idea of NextGen functionality.

This has been prepared for EHR 5.8 & KBM 8.3. Subsequent updates may display cosmetic & functional changes.

Use the keyboard or mouse to pause, review, & resume as necessary.

Before We Start

- There are a number of different procedure popups, but most providers will only use a handful of them.
- There are a lot of similarities in how you use the various templates & popups, but also some differences. I'll present some representative examples, but it is impractical to review them all in detail here.
- There are also a handful of flaws in the procedure templates. To avoid interrupting the flow of this presentation, I have given you some tips on these in another lesson.
- The best strategy is to become familiar with the procedure templates you'll use frequently, perhaps by experimenting on a practice patient.

One way you can access the procedure popups is via the **Procedures Icon** at the bottom of the **SOAP** tab. This gives you a short list of common procedures you can select directly.

- Office Diagnostics
- Physical Therapy Orders
- Health Promotion Plan

Ngkbn Udp Procedure Picklist

Procedure Name
Debridement/burn
EKG
Foreign body
Fracture/Cast/Strapping
Generic
Incision & Drainage
IUD
Joint aspiration/injection
Laceration
Lesion/shaving
Lesion/wart
Lumbar puncture
Nail avulsion
Suture removal

Refresh OK Cancel

Resident-Attending discussion took place Attending saw patient

Provider Comm. Meds **Procedures** Patient Plan Visit Document Document Library EM Coding Dictation

05/28/2014 10:08 AM : "Procedures" 05/28/2014 10:08 AM : "*USA SOAP 836" x

Navigation

- Intake
- History
 - > Home Page
 - SOAP
 - Finalize
 - Check Out
- > Order Management
 - Orders/Plan
 - Standing Orders
- Anticoagulation
- > Procedures
- Tobacco Cessation
- Tuberculin Skin Test
- Nutrition
- Chart Abstraction
- Demographics
- Document Library
- Immunizations
- Patient Comment
- Provider Test Action
- Vital Signs

Preview Offline

Visit Type ▾ Office Visit

TOB HTN DM CAD Former smoker

Histories SOAP Finalize Checkout

Immunizations Peds Immunizations My Plan Procedures Order Management Document Library

Panel Control: Toggle Cycle

View patient | Historian:

for sore throat.

Onset: 3 Days. The severity of the problem is moderate. Pain scale 5/10. The problem has not changed. The symptoms are persistent, symptoms are associated with exposure to strep, history of sore throat, history of dental infection, history of asthma, recent travel and smoker. Associated symptoms include chills/rigors, cough, fatigue, pharyngitis and rhinitis. Pertinent negatives include dyspnea or fever.

Intake Comments

You also can access the full Procedures Template from the Procedures Link at the top of many templates & on the Navigation Bar.

Here you see a number of procedures, divided into several (mostly) logical headings. A few quick pointers here:

Pre-procedure care:

Procedure/Risks were explained Quest

Alerts Consent

ENMT:

- ❖ Ear
- ❖ Endoscopy/Laryngoscopy
- ❖ Epistaxis/Turbinates Reduction
- ❖ Head/Neck
- ❖ Myringotomy/Tympanostomy
- ❖ Nasal/Sinus
- ❖ Oral Cavity

Pulmonary:

- ❖ Pulse Ox
- ❖ Spirometry
- ❖ Thoracentesis
- ❖ Xolair Injection

Gastrointestinal:

- ❖ Anoscopy
- ❖ Banding/infrared
- ❖ Colonoscopy
- ❖ EGD
- ❖ Flex Sigmoidoscopy
- ❖ Hemorrhoidectomy
- ❖ Proctosigmoidoscopy

Neurological:

- ❖ Chemodenervation w/Botox
- ❖ EEG
- ❖ EMG
- ❖ ...

Genitourinary:

- ❖ Catheterization/Intravesical Treatment
- ❖ Colposcopy Images: Cervix / Vagina / Vulva
- ❖ Cystourethroscopy
- ❖ Circumcision
- ❖ Endometrial Biopsy
- ❖ Hysteroscopy/ablation/sterilization
- ❖ IUD/Diaphragm
- ❖ Pessary Insertion
- ❖ Penile Injection
- ❖ Prostate Ultrasound/Biopsy
- ❖ Testosterone Pellets
- ❖ Urethral Dilation
- ❖ Urodynamics
- ❖ Uroflow
- ❖ Vasectomy

Skin & Nails:

- ❖ Botox
- ❖ Debridement/Burn/Wound
- ❖ Incision & Drainage
- ❖ Laceration Repair
- ❖ Lesion Excision/Shaving
- ❖ Lesion/Wart/Punch/Others
- ❖ Nail Avulsion/Hematoma/Removal
- ❖ Wound Care/Suture Removal

Biopsy/Aspiration:

- ❖ Bone Marrow BX/Asp
- ❖ Core Needle Breast Biopsy/Aspiration
- ❖ Joint Aspiration/Injection
- ❖ Lymph Node Biopsy
- ❖ Percutaneous Biopsy
- ❖ Thyroid Nodule Biopsy

Other:

- ❖ Conscious Sedation
- ❖ EKG
- ❖ Epidural Injection
- ❖ Fracture/Casting/Strapping
- ❖ Foreign Body Removal
- ❖ Generic
- ❖ Lumbar Puncture
- ❖ Nebulizer Treatment
- ❖ Procedure/Test Instructions

Patient Education

Performed today

Procedure

If you don't initially see what you're looking for, look around. For example, **Nebulizer Treatment** is over here, instead of under Pulmonary.

Offline Proc Note Preview Proc Note

Pre-procedure care
 Procedure/Risks were explained

- ENMT:**
- ❖ Ear
 - ❖ Endoscopy/Laryngoscopy
 - ❖ Epistaxis/Turbinate Reduction
 - ❖ Head/Neck
 - ❖ Myringotomy/Tympanostomy
 - ❖ Nasal/Sinus
 - ❖ Oral Cavity

- Pulmonary:**
- ❖ Pulse Ox
 - ❖ Spirometry
 - ❖ Thoracentesis
 - ❖ Xolair Injection
- Gastrointestinal:**
- ❖ Anoscopy
 - ❖ Banding/infrared
 - ❖ Colonoscopy
 - ❖ EGD
 - ❖ Flex Sigmoidoscopy
 - ❖ Hemorrhoidectomy
 - ❖ Proctosigmoidoscopy
- Neurological:**
- ❖ Chemodenervation w/Botox
 - ❖ EEG
 - ❖ EMG
 - ❖ Nerve Blo

- ❖ Penile Injection
- ❖ Prostate Ultrasound/Biopsy
- ❖ Testosterone Pellets
- ❖ Urethral Dilation
- ❖ Urodynamics
- ❖ Uroflow
- ❖ Vasectomy

- Skin & Nails:**
- ❖ Botox
 - ❖ Debridement/Burn/Wound
 - ❖ Incision & Drainage
 - ❖ Laceration Repair
 - ❖ Lesion Excision/Shaving
 - ❖ Lesion/Wart/Punch/Others
 - ❖ Nail Avulsion/Hematoma/Removal
 - ❖ Wound Care/Suture Removal

- ❖ Conscious Sedation
- ❖ EKG
- ❖ Epidural Injection
- ❖ Fracture/Casting/Strapping
- ❖ Foreign Body Removal
- ❖ Generic
- ❖ Lumbar Puncture
- ❖ Nebulizer Treatment
- ❖ Procedure/Test Instructions

Patient Education

Performed today

Procedure

Comments:

Most users won't want to attempt to use anything under the ENMT section. They're built more for ENTs than for primary care providers & they're formatted differently from most of the other popups, making them a bit tedious to use. They also have historically been riddled with errors—though that seems improved.

Instead, for many simple ENT procedures, like wax & foreign body removals, try **Foreign Body Removal**.

Pre-procedure care:

- Procedure/Risks were explained
- Questions were answered
- Consent was obtained

[Consent](#)

Alerts Consent

- ENMT:
 - Ear
 - End
 - Epis
 - Hea
 - Myr
 - Nas
 - Ora
- Pulmon
 - Puls
 - Spir
 - Tho
 - Xola
- Gastrointestinal
 - Anoscopy
 - Bandin
 - Colono
 - EGD
 - Flex Sig
 - Hemorr
 - Proctos
- Neurologi
 - Chemo
 - EEG
 - EMG
 - Nerve B
- Genitourinary:
 - Catheterization/Intravesical Treatment
 - Uroflow
 - Vasectomy
- Biopsy/Aspiration:
 - Bone Marrow BX/Asp
 - Core Needle Breast Biopsy/Aspiration
 - Lymph Node Biopsy
 - Thyroid Nodule Biopsy
 - Generic
- Skin & Nails:
 - Debridement/Burn/Wound
 - Laceration Repair

You can generate a consent form here, & most of the individual popups provide this too. But you may want to use paper consent forms you already have on hand, & have them scanned into the EHR after they're signed.

You can generate procedure notes (either offline or in real time) here. But keep in mind that if you're generating a regular visit note, the procedure note will be included, so you don't have to generate one separately unless you just want to.

Comments:

[Empty text box for comments]

Offline Proc Note Preview Proc Note

Pre-procedure care:

- Procedure/Risks were explained
- Questions were answered
- Consent was obtained
- [Consent](#)

[Alerts](#) [Consent](#)

ENMT:

- [Ear](#)
- [Endoscopy/Laryngoscopy](#)
- [Epistaxis/Turbinates Reduction](#)
- [Head/Neck](#)
- [Myringotomy/Tympanostomy](#)
- [Nasal/Sinus](#)
- [Oral Cavity](#)

Pulmonary:

- [Pulse Ox](#)
- [Spirometry](#)
- [Thoracentesis](#)
- [Xolair Injection](#)

Gastrointestinal:

- [Anoscopy](#)
- [Banding/infrared](#)
- [Colonoscopy](#)
- [EGD](#)
- [Flex Sigmoidoscopy](#)
- [Hemorrhoidectomy](#)
- [Proctosigmoidoscopy](#)

Neurological:

- [Chemodenervation w/Botox](#)
- [EEG](#)
- [EMG](#)
- [Nerve Blocks](#)

Genitourinary:

- [Catheterization/Intravesical Treatment](#)
- [Colposcopy](#) [Images: Cervix / Vagina / Vulva](#)
- [Cystourethroscopy](#)
- [Circumcision](#)
- [Endometrial Biopsy](#)
- [Hysteroscopy/ablation/sterilization](#)
- [IUD/Diaphragm](#)
- [Pessary Insertion](#)
- [Penile Injection](#)
- [Prostate Ultrasound/Biopsy](#)
- [Testosterone Pellets](#)
- [Urethral Dilation](#)
- [Urodynamics](#)
- [Uroflow](#)
- [Vasectomy](#)

Skin & Nails:

- [Botox](#)
- [Debridement/Burn/Wound](#)
- [Incision & Drainage](#)
- [Laceration Repair](#)
- [Lesion Excision/Shaving](#)
- [Lesion/Wart/Punch/Others](#)
- [Nail Avulsion/Hematoma/Removal](#)
- [Wound Care/Suture Removal](#)

Biopsy/Aspiration:

- [Bone Marrow BX/Asp](#)
- [Core Needle Breast Biopsy/Aspiration](#)
- [Joint Aspiration/Injection](#)
- [Lymph Node Biopsy](#)
- [Percutaneous Biopsy](#)
- [Thyroid Nodule Biopsy](#)

Other:

- [Conscious Sedation](#)
- [EKG](#)
- [Epidural Injection](#)
- [Fracture/Casting/Strapping](#)
- [Foreign Body Removal](#)
- [Generic](#)
- [Lumbar Puncture](#)
- [Nebulizer Treatment](#)
- [Procedure/Test Instructions](#)

[Patient Education](#)

Performed today

Procedure

Now let's look at an example. Click [Incision & Drainage](#).

Comments

[Offline Proc Note](#) [Preview Proc Note](#)



Consent

PE Skin

Pre-procedure care:

- Consent was obtained
- Procedure/risks were explained
- Questions were answered

Procedure:

- Abscess prepped and draped using sterile technique
- Acne surgery
- Incision and drainage of abscess, simple or single
- Incision and drainage of abscess, complicated or multiple
- Incision and drainage of pilonidal cyst, simple
- Incision and drainage of peritonsillar abscess

Diagnosis 1:	Code:	Status:	Diagnosis 2:	Code:	Status:

Anesthetic:

- Lidocaine 1% plain
- Lidocaine 1% w/epinephrine
- Lidocaine 2% plain
- Lidocaine 2% w/epinephrine
- Marcaine 0.5%
- Lidocaine topical 5%
- Ethyl chloride

Packing:

- Plain gauze 1/4 in
- Plain gauze 1/2 in

Dressing, wound care & follow up:

- Applied sterile dressing and discussed wound care instructions
 - Patient tolerated procedure well
- Wound check: Return for follow up:
- If symptoms persist
 - PRN

Comments:

Submit to Superbill

Save & Close

Cancel

You may want to begin by selecting these pre-procedure items, as desired.

We'll do a simple I&D. Click this checkbox.

A popup appears for you to select a diagnosis. You'll see a short list of likely candidates, but if you don't see something you can use, you have access to full diagnosis search. Here we'll pick Cellulitis and abscess of trunk.

- Pre-procedure care:
- Consent
- Procedure**
- Abscess
- Acne
- Incision and drainage of abscess, simple or single
- Incision and drainage of abscess, complicated or multiple
- Incision and drainage of pilonidal cyst, simple
- Incision

Diagnosis 1	Code	Status	Diagnosis 2	Code	Status

Q Enter search term Search

All Diagnoses	Clinical Description and ICD Code	Billing Description
Patient's Diagnoses	Cellulitis and abscess of other specified sites 682.8	Cellulitis and abscess of other specified sites
Patient's Chronic Diagnosis	Felon 681.01	Felon
<ul style="list-style-type: none"> ▼ Favorites Metabolic CV Pulmonary Misc ▼ Categories Abnormal Tests/L Accucheck Acute Otitis All FX Arrhythmias Arthritis 	Cellulitis and abscess of leg, except foot 682.6	Cellulitis and abscess of leg, except foot
	Cellulitis and abscess of upper arm and forearm 682.3	Cellulitis and abscess of upper arm and forearm
	Cellulitis and abscess of trunk 682.2	Cellulitis and abscess of trunk
	Cellulitis and abscess of buttock 682.5	Cellulitis and abscess of buttock
	Cellulitis and abscess of foot, except toes 682.7	Cellulitis and abscess of foot, except toes
	Cellulitis and abscess of hand, except fingers and thumb 682.4	Cellulitis and abscess of hand, except fingers and thumb
	Cellulitis and abscess of neck 682.1	Cellulitis and abscess of neck
	Hidradenitis 705.83	Hidradenitis
	Carbuncle and furuncle of upper arm and forearm 680.3	Carbuncle and furuncle of upper arm and forearm
	Carbuncle and furuncle of trunk 680.2	Carbuncle and furuncle of trunk
	Cyst of Bartholin's gland 616.2	Cyst of Bartholin's gland

24 rows returned

Select Cancel



Pre-procedure care:

- Consent was obtained
- Procedure/risks were explained
- Questions were answered

Consent

Procedure:

PE Skin

- Abscess prepped and draped using sterile technique

- Acne surgery
- Incision and drainage of abscess, simple or single
- Incision and drainage of abscess, complicated or multiple
- Incision and drainage of pilonidal cyst, simple
- Incision and drainage of peritonsillar abscess

Diagnosis 1:	Code:	Status:	Diagnosis 2:	Code:	Status:
Cellulitis and abscess	682.2				

Select your anesthetic; you'll get a popup to specify how much you used, if desired.

Anesthetic:

- Lidocaine 1% plain
- Lidocaine 1% w/epinephrine
- Lidocaine 2% plain
- Lidocaine 2% w/epinephrine
- Marcaine 0.5%
- Lidocaine topical 5%
- Ethyl chloride

- Plain gauze 1/4 in
- Plain gauze 1/2 in

Dressing, wound care & follow up:

- Applied sterile dressing and discussed
- Patient tolerated procedure well

Wound check: Return for follow up:

If P

Comments:

Anesthetic Amount [X]

- < 1 mL
- 1 - 2 mL
- 2 - 3 mL
- 3 - 4 mL
- > 4 mL

Close

Submit to Superbill

Save & Close

Cancel



Add additional details as desired.

Prep: Consent was obtained Procedure risks were explained Questions were answered

Consent

Procedure: Incision and drainage using sterile technique

PE Skin

- Acne surgery
- Incision and drainage of abscess, simple or single
- Incision and drainage of abscess, complicated or multiple
- Incision and drainage of pilonidal cyst, simple
- Incision and drainage of peritonsillar abscess

Diagnosis 1:	Code:	Status:	Diagnosis 2:	Code:	Status:
Cellulitis and abscess	682.2				

- Anesthetic:
- Lidocaine 1% plain
 - Lidocaine 1% w/epinephrine
 - Lidocaine 2% plain
 - Lidocaine 2% w/epinephrine
 - Marcaine 0.5%
 - Lidocaine topical 5%
 - Ethyl chloride

- Packing:
- None
 - Iodoform gauze 1/4 in
 - Iodoform gauze 1/2 in
 - Plain gauze 1/4 in
 - Plain gauze 1/2 in

But you'll often want to add more notes than can be specified with the checkboxes. Use this **Comments** box for that.

Dressing, wound care & follow up:

- Applied sterile dressing and discussed wound care instructions
- Patient tolerated procedure well

Wound check: Return for follow up: If symptoms persist PRN

Comments:
 After prep w/ chlorhexidene & local anesthesia, a stab wound was made w/ #11 blade, expressing ~3 ml of pus. Culture obtained. Packed w/ iodoform gauze & covered w/ bulky gauze dressing.

Submit to Superbill

Save & Close

Cancel

Incision & Drainage - Procedure



Pre-procedure care:

- Consent was obtained
- Procedure/risks were explained
- Questions were answered

Consent

Procedure:

- Abscess prepped and draped using sterile technique

PE Skin

- Acne surgery

Diagnosis 1:	Code:	Status:	Diagnosis 2:	Code:	Status:

- Incision and drainage of abscess, simple or simple

- Incision and drainage of abscess, complicated

- Incision and drainage of pilonidal cyst, simple

- Incision and drainage of peritonsillar abscess

Anesthetic:

- Lidocaine 1% plain
- Lidocaine 1% w/epinephrine
- Lidocaine 2% plain
- Lidocaine 2% w/epinephrine
- Marcaine 0.5%
- Lidocaine topical 5%
- Ethyl chloride

3 - 4 mL

For procedures you do often, you can save presets, so you can start with most of your selections already entered. Click the (quaintly archaic) floppy disc icon.

Dressing, wound care & follow up:

- Applied sterile dressing and discussed wound care instructions
- Patient tolerated procedure well

Wound check:

Return for follow up:

- If symptoms persist
- PRN

Comments:

After prep w/ chlorhexidene & local anesthesia, a stab wound was made w/ #11 blade, expressing ~3 ml of pus. Culture obtained. Packed w/ iodoform gauze & covered w/ bulky gauze dressing.

Submit to Superbill

Save & Close

Cancel

Default Set Category:

Proc

Specialties Access:

All Specialties

Templates to Save:

Save All Templates

Save Current Only:

Select Templates to Save:

Give your preset a name; it's often helpful to include your initials. There are some other options you can specify, but you usually don't need to mess with them.

Default Set Name (For Exam gender specific defaults, use 'male' or 'female' in the default set name and for full exam include Specialty in the default set name.):

I&DSimple-RLD

Clear

Add

Proc Quick Saves

Number of Templates	Title
Single	NexplanonInsertion-RLD

Click Add.

Update

Remove

Save & Close

Cancel

Your preset is added to the list of others you've saved.

Specialties Access:

All Specialties

Current Specialty Only: FP

Templates to Save:

Save All Templates

Save Current Only:

Select Templates to Save:

Default Set Name (For Exam generated specialties, use 'male' or 'female' in the default set name and for full exam include Specialty in the default set name)

Clear

Add

Proc Quick Saves

Number of Templates	Title
Single	NexplanonInsertion-RLD
Single	I&DSimple-RLD

Update

Remove

When done click **Save & Close**.

Save & Close

Cancel

Note that if you ever want to change it, the workflow is to make your changes on the popup, **Select the preset name**, then click **Update**.



Pre-procedure care:

- Consent was obtained
- Procedure/risks were explained
- Questions were answered

Consent

Procedure:

PE Skin

- Abscess prepped and draped using sterile technique

- Acne surgery
- Incision and drainage of abscess, simple or single
- Incision and drainage of abscess, complicated or multiple
- Incision and drainage of pilonidal cyst, simple
- Incision and drainage of peritonsillar abscess

Diagnosis 1:	Code:	Status:	Diagnosis 2:	Code:	Status:
Cellulitis and abscess	682.2				

Back on the procedure popup, when your documentation is done, click **Submit to Superbill**. You'll usually get a **Charges submitted** confirmation, but this is somewhat inconsistent from template to template.

- Patient tolerated procedure well

Wound check:

Return for follow up:

- If symptoms persist

- PRN

Comments:

After prep w/ chlorhexidene & local anesthesia, a stab wound was made w/ #11 blade, expressing ~3 ml of pus. Culture obtained. Packed w/ iodoform gauze & covered w/ bulky gauze dressing.

Charges submitted

Submit to Superbill

When done click **Save & Close**.

Save & Close

Cancel

Pre-procedure care:

- Procedure/Risks were explained
- Questions were answered
- Consent was obtained
- Consent

Alerts Consent

ENMT:

- ❖ Ear
- ❖ Endoscopy/Laryngoscopy
- ❖ Epistaxis/Turbinate Reduction
- ❖ Head/Neck
- ❖ Myringotomy/Tympano
- ❖ Nasal/Sinus
- ❖ Oral Cavity

Genitourinary:

- ❖ Catheterization/Intravesical Treatment
- ❖ Colposcopy Images: Cervix / Vagina / Vulva
- ❖ Cystourethroscopy
- ❖ Circumcision

Biopsy/Aspiration:

- ❖ Bone Marrow BX/Asp
- ❖ Core Needle Breast Biopsy/Aspiration
- ❖ Joint Aspiration/Injection
- ❖ Lymph Node Biopsy

Let's look at Lesion/Wart/Punch/Others.

Pulmonary:

- ❖ Pulse Ox
- ❖ Spirometry
- ❖ Thoracentesis
- ❖ Xolair Injection

Other:

- ❖ Penile Injection
- ❖ Prostate Ultrasound/Biopsy
- ❖ Testosterone Pellets
- ❖ Urethral Dilation
- ❖ Urodynamics
- ❖ Uroflow
- ❖ Vasectomy

Other:

- ❖ Conscious Sedation
- ❖ EKG
- ❖ Epidural Injection
- ❖ Fracture/Casting/Strapping
- ❖ Foreign Body Removal
- ❖ Generic
- ❖ Lumbar Puncture
- ❖ Nebulizer Treatment
- ❖ Procedure/Test Instructions

Gastrointestinal:

- ❖ Anoscopy
- ❖ Banding/infrared
- ❖ Colonoscopy
- ❖ EGD
- ❖ Flex Sigmoidoscopy
- ❖ Hemorrhoidectomy
- ❖ Proctosigmoidoscopy

Skin & Nails:

- ❖ Botox
- ❖ Debridement/Burn/Wound
- ❖ Incision & Drainage
- ❖ Laceration Repair
- ❖ Lesion Excision/Shavi
- ❖ Lesion/Wart/Punch/Others
- ❖ Nail Avulsion/Hematoma/Removal
- ❖ Wound Care/Suture Removal

Patient Education

Neurological:

- ❖ Chemodenervation w/Botox
- ❖ EEG
- ❖ EMG
- ❖ Nerve Blocks

Performed today

Procedure

Comments:

Offline Proc Note Preview Proc Note

On some popups you can document several different procedures. This can be convenient but also confusing. The important things to remember are:

1) Document ALL your procedures before clicking **Submit to Superbill**; you can't add another one on this popup after submitting.

2) Use the **Comments** box to clarify anything that gets confusing as you document multiple procedures.

Lesion/Wart/Punch/Other - Procedure

Pre-procedure care:

- Consent was obtained
- Procedure/risks were explained
- Questions were answered
- Area was prepped and draped using sterile technique

Punch biopsy:

Single lesion RT LT Location: arm

Each additional lesion Location: trunk

Destruction premalignant lesion(s): 14 or less 15 or more (Select the number of lesions destroyed today)

First Lesion RT LT Location: []

2nd through 14th lesion Location: []

15 or more lesions Total Qty: []

Destruction benign lesion(s): (Other than skin tags)

Lesions 1-14 Location: []

15 or more lesions Location: []

Paring or cutting:

Paring/cutting; benign RT LT Location: []

hyperkeratotic lesion, single lesion

Paring/cutting Location: []

Skin tag:

	Location:	Qty:	Assessment:	Method:
<input type="checkbox"/> Removal 15 or less lesions	[]	[]	[]	<input type="checkbox"/> Electrocautery <input type="checkbox"/> Scissors
<input type="checkbox"/> Each additional 10 lesions	[]	[]	[]	<input type="checkbox"/> Liquid nitrogen <input type="checkbox"/> Silver nitrate

Anesthetic:

Lidocaine 1% Lidocaine 2% w/epinephrine: Ethyl chloride:

Lidocaine 1% w/epinephrine 1 - 2 mL Marcaine 0.5%

Lidocaine 2% Lidocaine topical 5%

Dressing, wound care & follow

Applied sterile dressing Discussed wound care instructions

Biopsy sent to pathology Silver nitrate for wound cauterization

Wound check: [] Suture removal: 7-10 days

Suture:

Dermalon (nylon) 6.0 5.0 4.0

Surgilene (prolene)

Dexon

Steri-strips™

Comments:

Areas on L upper arm, L & R upper chest cleaned w/ chlorhexidene, anesthetized, & punched w/ 6 mm punch. Wounds closed w/ one figure-8 stitch each.

Submit to Superbill **Save & Close** **Cancel**

Pre-procedure care:

- Procedure/Risks were explained
- Questions were answered
- Consent was obtained
- Consent

Alerts **Consent**

ENMT:

- ❖ Ear
- ❖ Endoscopy/Laryngoscopy
- ❖ Epistaxis/Turbinate Reduction
- ❖ Head/Neck
- ❖ Myringotomy/Tympanostomy
- ❖ Nasal/Sinus
- ❖ Oral Cavity

Pulmonary:

- ❖ Pulse Ox
- ❖ Spirometry
- ❖ Thoracentesis
- ❖ Xolair Injection

Gastrointestinal:

- ❖ Anoscopy
- ❖ Banding/infrared
- ❖ Colonoscopy
- ❖ EGD
- ❖ Flex Sigmoidoscopy
- ❖ Hemorrhoidectomy
- ❖ Proctosigmoidoscopy

Neurological:

- ❖ Chemodenervation w/Botox
- ❖ EEG
- ❖ EMG
- ❖ Nerve Blocks

Comments:

Genitourinary:

- ❖ Catheterization/Intravesical Treatment
- ❖ Colposcopy **Images:** Cervix / Vagina / Vulva
- ❖ Cystourethroscopy
- ❖ Circumcision
- ❖ Endometrial Biopsy
- ❖ Hysteroscopy/ablation/sterilization
- ❖ IUD/Diaphragm
- ❖ Pessary Insertion
- ❖ Penile Injection
- ❖ Prostate Ultrasound/Biopsy
- ❖ Testosterone Pellets

Skin & Nails:

- ❖ Botox
- ❖ Debridement/Burn/Wound
- ❖ Incision & Drainage
- ❖ Laceration Repair
- ❖ Lesion Excision/Shaving
- ❖ Lesion/Wart/Punch/Others
- ❖ Nail Avulsion/Hematoma/Removal
- ❖ Wound Care/Suture Removal

Biopsy/Aspiration:

- ❖ Bone Marrow BX/Asp
- ❖ Core Needle Breast Biopsy/Aspiration
- ❖ Joint Aspiration/Injection
- ❖ Lymph Node Biopsy
- ❖ Percutaneous Biopsy
- ❖ Thyroid Nodule Biopsy

Other:

- ❖ Conscious Sedation
- ❖ EKG

Now look at Joint Aspiration/Injection.



trapping
oval

- ❖ Generic
- ❖ Lumbar Puncture
- ❖ Nebulizer Treatment
- ❖ Procedure/Test Instructions

Patient Education

Performed today

Procedure

Offline Proc Note **Preview Proc Note**



Consent

- Consent was obtained
- Procedure/risks were explained
- Questions were answered

Defaults: Right Left



Today's Assessments: (Select an assessment and check the desired labs below)

Add Common Assessment

Injection History:

How to use this template: ⓘ

#	Diagnosis Description	Code	Status
1	Acute bronchitis	466.0	
2	Neoplasm of uncertain behavior of skin	238.2	
3	Disorders of bursae and tendons in shoulder region, unspecified	726.10	

Encounter	Date/Time	Description	Proc Code	Units

Injection detail:

Code:	Procedure:	Location:	Method:
Site 1:			
Site 2:			
Site 3:			
Site 4:			

Site prepped:	Technique:	Anesthetic:	mL	Needle gauge:
Yes <input type="checkbox"/>				
Yes <input type="checkbox"/>				
Yes <input type="checkbox"/>				
Yes <input type="checkbox"/>				

Placement confirmed by:	Fluid:	(mL) Fluid withdrawn:	Medication:	mg	mL	Seq	No charge medication	Sterile dressing:	Pressure	Adhesive
Site 1:			Detail				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

This popup works on a somewhat different model. First notice that you pick a diagnosis at the top instead of via a popup as before. If you've already added diagnoses on the encounter, they'll be here. If not, you can click **Add** or **Add Common Assessment**. And notice that only your 1st 4 assessments display, so if the diagnosis you need for the joint is in the Assessment 5-8 slots, you may need to rearrange by using **Sort DX**.

Click in the 1st Procedure Box, & you'll get this popup.

#	Diagnosis Description	Code	Status	Encounter Date:Time	Description	Proc Code	Units
1	Acute bronchitis	466.0					
2	Neoplasm of uncertain behavior of skin	238.2					
3	Disorders of bursae and tendons in shoulder region, unspecified	84.10					

A few things to note:

1) Even if you're injecting & not aspirating, they call it an "arthrocentesis" at this point.

2) They group joints as follows:
 a. Major—Shoulder, hip, knee.
 b. Intermediate—AC, elbow, wrist, ankle.
 c. Minor—Hand, foot.

Injection detail:

Code: Procedure: Location:

Site 1:

Site 2:

Site 3:

Site 4:

Placement

Procedures

- arthrocentesis major joint
- arthrocentesis intermediate joint
- arthrocentesis small joint
- bone cyst
- ganglion cyst
- tendon sheath origin / insertion
- tendon sheath/ligament
- therapeutic carpal tunnel injection
- trigger point (1 or 2 muscles)
- trigger point (3 or more muscles)

Close

Improvement by site: 1 2 3 4

% Improvement:

Comments

Manage My Phrases

My Phrases

Plan: My Plan

Lab Orders:

Schedule follow-up visit

Timeframe:

Follow-up with:

Appropriate post injection instructions given

Reason(s) for next visit:

For injection/aspiration

Other:

Place Order

Submit to Superbill

Save & Close

Cancel

Joint

Side

right
left

Close

Arthrocentesis major joint

knee
hip
shoulder

Close

Shoulder

anterior aspect
bicipital groove area
bicipital tendon
bursa
glenohumeral joint
intra-articular & sub-acromial areas
intra-articular area
joint
medial acromion area
mid-acromial process
rotator cuff
sub-acromial bursa area
subacromial space
superomedial scapula area

Close

Method

aspiration
injection
aspiration and injection

Close

Injection detail:

Code:	Procedure:	Location:	Method:	Site prepped:	Technique:	Anesthetic:	Needle gauge:
Site 1:	726.10	arthrocentesis major joint		Yes			
Site 2:				<input type="checkbox"/>			
Site 3:				<input type="checkbox"/>			
Site 4:				<input type="checkbox"/>			

Placement confirmed by:	Fluid:	(mL) Fluid withdrawn:	Medication:	mg	mL	Seq	No charge medication	Sterile dressing:	Pressure	Adhesive
Site 1:			Detail				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Site 2:							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Site 3:							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Site 4:							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Procedure billing: (To submit charges, you must click on the "Submit to Superbill" button prior to exiting) Verify Changes

Code	Description	Units	RVU	DX1	DX2	DX3	DX4	Mod1	Mod2	Submitted	No Charge

You'll be presented a series of popups that allow you to specify more details. Here we'll pick **right shoulder subacromial space injection**.

Comments

Manage My Phrases My Phrases

Follow-up with:

Custom Plan

For injection/aspiration Other:

Defaults: Right Left

Check the **Site prepped Yes** box & make a selection in the ensuing popup (or type details in).

Today

#	Description	Proc Code	Units
1			
2			
3			

Add Edit Sort Remove

Injection detail:

Code:	Procedure:	Location:	Method:	Site prepped:	Technique:	Anesthetic:	mL	Needle gauge:
726.10	arthrocentesis major joint	right shoulder subacromial s	injection	<input checked="" type="checkbox"/>				
Site 2:				<input type="checkbox"/>				
Site 3:				<input type="checkbox"/>				
Site 4:				<input type="checkbox"/>				

	mg	mL	Seq	No charge medication	sterile dressing: Pressure	Adhesive
Site 1:				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Site 2:				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Site 3:				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Site 4:				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Site prepped

alcohol
 aseptic technique
 aseptic technique with povidone-iodine
 aseptic technique with povidone-iodine and alcohol
 povidone-iodine
 povidone-iodine and alcohol
 sterile technique

Close

If you use anesthetic for the skin, indicate it here—but note this is NOT the anesthetic you might inject into the joint. (Ethyl chloride is also available here.)

Patient response:

Tolerated procedure well: No Yes

Improvement by site: 1 2 3 4 % Improvement: _____

Comments

Manage My Phrases My Phrases

Save & Close Cancel

Defaults: Right Left

Click in the Placement confirmed by box; here we'll select manual palpation.

Injection detail:

Code:	Procedure:	Location:	Method:
Site 1: 726.10	arthrocentesis major joint	right shoulder subacromial s	injection
Site 2:			
Site 3:			
Site 4:			

Site prepped:	Technique:	Anesthetic:	mL	Needle gauge:
<input checked="" type="checkbox"/>	Chlorhexidine			
<input type="checkbox"/>				
<input type="checkbox"/>				
<input type="checkbox"/>				

Placement confirmed by:	Fluid:	(mL) Fluid withdrawn:	Medication:	mg	mL	Seq	No charge medication	Sterile dressing:	Pressure	Adhesive
Site 1:							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Site 2:							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Site 3:							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Site 4:							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



Procedure billing:

(To submit charges, you must click on the "Submit to Superbill" button prior to exiting)

Verify Changes

Cod	Units	RVU	DX1	DX2	DX3	DX4	Mod1	Mod2	Submitted	No Charge

Patien
Toler
Imp
Comr

Close

If you were aspirating, you'd indicate fluid details here.

Next click in the 1st Medication box, bringing up this popup. Unfortunately, this is where things get confusing for many providers.

#	Description	Code	Status	Encounter Date/Time	Description	Proc Code	Units
1	Aspiration of fluid from right shoulder	J5000					
2	Aspiration of fluid from left shoulder	J5000					
3	Orders of nurse and vendors in shoulder region, unspecified						

Add Edit Sort Remove

Injection detail:

Code:	Procedure:	Location:	Method:
726.10	arthrocentesis major joint	right shoulder subacromial s	injection
Site 2:			
Site 3:			
Site 4:			

Site prepped:	Technique:	Anesthetic:	mL	Needle gauge:
<input checked="" type="checkbox"/>	Chlorhexidine			
<input type="checkbox"/>				
<input type="checkbox"/>				
<input type="checkbox"/>				

Placement confirmed by:	Fluid:	(mL) Fluid withdrawn:	Medication:	mg	mL	Seq	No charge medication	Sterile dressing: Pressure	Adhesive
Site 1: manual palpation							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Site 2:							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Site 3:							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Site 4:							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Procedure billing:

(To submit charges, you must click)

Code	Description	Units	RVU	DX1	DX2

Patient response:

Tolerated procedure well: No Yes

Improvement by site: 1 2 3 4 % Improvement: _____

Comments

Manage My Phrases My Phrases

Ngkbn Dbp Med Bill Codes

Medications	Jcodes	Doses
= 2 YRS, LUNG VOLUMES	94013	3 mg
1 CC sterile syringe&needle	A4206	6 mg
2 pc drainable ost pouch with 2 CC sterile syringe&needle	A4413/A4207	3 mg/6 mg
Betamethasone		4 mg
Betamethasone acet/sod phosp	J0702	6 mg
dexamethasone	J1100	1 mg
Euflexxa	J7323	20 mg
Hyalgan	J7321	20 mg
ketorolac	J1885	15 mg
methylprednisolone acetate	J1020	20 mg
methylprednisolone acetate	J1030	40 mg
methylprednisolone acetate	J1040	80 mg
Orthovisc	J7324	30 mg
Supartz	J7321	25 mg
Synvisc	J7325	16 mg
Synvisc - One	J7325	48 mg
Synvisc - OneT with dexamethasone	J7325/J1100	48 mg/1 mg
Synvisc - OneT with methylprednisolone acetate	J7325/J1020	48 mg/20 mg
Synvisc - OneT with methylprednisolone acetate	J7325/J1030	48 mg/40 mg

Refresh OK Cancel

We sometimes think in terms of brand names, but many of the names here are generic. In particular, it is helpful to note that Celestone is Betamethasone acet/sod phosp.

#	Description	Units	RVU	DX1	DX2
1	Acute bronchitis	466.0			
2	Disorders of bursae and tendons in shoulder	726.10			
3	region, unspecified				

Add Edit Sort Remove

Injection detail:

Code:	Procedure:	Location:	Method:
Site 1: 726.10	arthrocentesis major joint	right shoulder subacromial s	injection
Site 2:			
Site 3:			
Site 4:			

Yes	Technique:	Anesthetic:	mL	Needle gauge:
<input checked="" type="checkbox"/>	Chlorhexidine			
<input type="checkbox"/>				
<input type="checkbox"/>				
<input type="checkbox"/>				

We also usually think in terms of *volume* of solution to inject, whereas this list indicates *mass*. That's because these are the units the medicine is billed by. You may need to get with your nurse & look at the bottle to figure out how many mg you are injecting.

mg	mL	Seq	No charge medication	Sterile dressing: Pressure	Adhesive
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Medications	Jcodes	Doses
= 2 YRS, LUNG VOLUMES	94013	3 mg
1 CC sterile syringe&needle	A4206	6 mg
2 pc drainable ost touch with 2 CC sterile syringe&needle	A4413/A4207	3 mg/6 mg
Betamethasone		4 mg
Betamethasone acet/sod phosp	J0702	6 mg
dexamethasone	J1100	1 mg
Euflexxa	J7323	20 mg
Hyalgan	J7321	20 mg
ketorolac	J1885	15 mg
methylprednisolone acetate	J1020	20 mg
methylprednisolone acetate	J1030	40 mg
methylprednisolone acetate	J1040	80 mg
Orthovisc	J7324	30 mg
Supartz	J7321	25 mg
Synvisc	J7325	16 mg
Synvisc - One	J7325	48 mg
Synvisc - OneT with dexamethasone	J7325/J1100	48 mg/1 mg
Synvisc - OneT with methylprednisolone acetate	J7325/J1020	48 mg/20 mg
Synvisc - OneT with methylprednisolone acetate	J7325/J1030	48 mg/40 mg

Consent

Consent was obtained

Defaults: Right Left

What if you combine meds? If you click **Detail**, you'll get a popup that lets you specify 2 meds.

3 Disorders of bursae and tendons in shoulder region, unspecified 726.10

Add Edit Sort Remove

Injection detail:

	Code:	Procedure:	Location:	Method:
Site 1:	726.10	arthrocentesis major joint	right shoulder subacromial s	injection
Site 2:				
Site 3:				
Site 4:				

Yes	Technique:	Anesthetic:	mL	Needle gauge:
<input checked="" type="checkbox"/>	Chlorhexidine			
<input type="checkbox"/>				
<input type="checkbox"/>				
<input type="checkbox"/>				

Placement confirmed by:	Fluid:	(mL) Fluid withdrawn:	Medication:
Site 1: manual palpation			Detail

mg	mL	Seq	No charge medication	Sterile dressing: Pressure	Adhesive
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Proc Injection Med Detail

First medication:	mg:	mL:	Lot number:	Manufacturer:	Expiration date:
Site 1:					//
Site 2:					//
Site 3:					//
Site 4:					//

Second medication:	mg:	mL:	Lot number:	Manufacturer:	Expiration date:
Site 1:					//
Site 2:					//
Site 3:					//
Site 4:					//

Save & Close Cancel

But not lidocaine. You don't bill for local anesthetics. If you include one, you'll need to mention it in the **Comments** box.


Comments

Manage My Phrases My Phrases

Place Order Submit to Superbill Save & Close Cancel

Use other checkboxes & bullets as desired, & add further details in the **Comments** box. This is a good place to clarify drug combinations & included anesthetics. Note you have access to **My Phrases** to speed this along.

Defaults: Right Left



Injection History:

Counter	Date:Time	Description	Proc Code	Units

How to use this template:

Site prepped:

Yes	Technique:	Anesthetic:	mL	Needle gauge:
<input checked="" type="checkbox"/>	Chlorhexidine			
<input type="checkbox"/>				
<input type="checkbox"/>				
<input type="checkbox"/>				

Site	Fluid:	(mL) Fluid withdrawn:	Medication:	mg	mL	Seq	No charge medication	Sterile dressing: Pressure	Adhesive	
Site 1:			Betamethasone acel/	6			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="button" value="Clear"/>
Site 2:							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="button" value="Clear"/>
Site 3:							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="button" value="Clear"/>
Site 4:							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="button" value="Clear"/>

Procedure billing: (To submit charges, you must click on the "Submit to Superbill" button prior to exiting)

Code	Description	Units	RVU	DX1	DX2	DX3	DX4	Mod1	Mod2	Submitted	Charge

Patient response:

Tolerated procedure well: No Yes

Improvement by site: 1 2 3 4 % Improvement:

Plan:

Lab Orders:

Schedule follow-up

Timeframe:

Follow-up with:

Custom Plan

And remember you can save presets.

Comments

Shoulder prepped & subacromial space injected w/ a 1:1:1 combination of Celestone, marcaine, & lidocaine.



Consent

- Consent was obtained
- Procedure/risks were explained
- Questions were answered

Defaults: Right Left



Today's Assessments: (Select an assessment and check the desired labs below.)

Add Common Assessment

Injection History:

How to use this template:

The next step is different from what you're thinking, & is different from many of the other procedure templates.

Click Verify Charges.

Assessment	Code	Units	Lab	Units
Chronic bronchitis	J42	468		
Disorders of bursae and tendons in shoulder	726.10			

Injection detail:

Code: Procedure: Location: Method: Site prepped: Yes Technique: Anesthetic: mL Needle gauge:

Site 1: manual palpation Fluid: Betamethasone acet/sod ph 6 mg mL Seq No charge medication Pressure Adhesive

Site 2: Sterile dressing: Adhesive

Site 3:

Site 4:

Procedure billing: (To submit charges, you must click on the "Submit to Superbill" button prior to exiting)

Code	Description	Units	RVU	DX1	DX2	DX3	DX4	Mod1	Mod2	No Charge	Submitted

Patient response:

Tolerated procedure well: No Yes

Improvement by site: 1 2 3 4 % Improvement:

Plan: My Plan

Lab Orders:

Schedule follow-up visit

Timeframe:

Follow-up with:

Appropriate post injection instructions given

Reason(s) for next visit:

For injection/aspiration

Other:

Comments

Shoulder prepped & subacromial space injected w/ a 1:1:1 combination of Celestone, marcaine, & lidocaine.



Consent

- Consent was obtained
- Procedure/risks were explained
- Questions were answered



Today's Assessments: (Select an assessment and check the desired labs below.)

Add Common Assessment

Injection History:

How to use this template: ?

#	Diagnosis Description	Code	Status
1	Acute bronchitis	466.0	
2	Neoplasm of uncertain behavior of skin	238.2	
3	Disorder of bursae and tendons in shoulder region, unspecified	726.10	

Encounter Date:Time	Description	Proc Code	Units

The charges are posted to this grid. When done, click **Submit to Superbill** then **Save & Close**.

Injection detail

Code:	Procedure:	Location:	Method:	Yes	Technique:	Anesthetic:	Needle gauge:
726.10	arthrocentesis major joint	right shoulder subacromial s	injection	<input checked="" type="checkbox"/>	Chlorhexidine		
Site 2:				<input type="checkbox"/>			
Site 3:				<input type="checkbox"/>			
Site 4:				<input type="checkbox"/>			

Placement confirmed by:	Fluid:	(mL) Fluid withdrawn:	Medication:	mg	mL	Seq	No charge medication	Sterile dressing: Pressure	Adhesive	Clear
Site 1: manual palpation			Betamethasone acet/sod phos	6			<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Clear
Site 2:							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Clear
Site 3:							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Clear
Site 4:							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Clear

Procedure billing:

(To submit charges, you must click on the "Submit to Superbill" button prior to exiting)

Verify Charges

Code	Description	Unit	RVU	DX1	DX2	DX3	DX4	Mod1	Mod2	No Charge	Submitted
J0702	Betamethasone acet/sod phosp			726.10						N	N
20610	Arthrocentesis major joint/bursa	1	1.84	726.10				RT		N	N

Patient response:

Tolerated procedure well: No Yes

Plan: My Plan

Lab Orders:

Appropriate post injection instructions given

Schedule follow-up visit

Reason(s) for next visit:

Timeframe:

For injection/aspiration

Follow-up with:

Other:

Place Order gives you the chance to send a task, which you probably don't need to do here.

Place Order **Submit to Superbill** Save & Close Cancel

Pre-procedure care:

- Procedure/Risks were explained Questions were answered Consent was obtained Consent

Alerts

Consent

ENMT:

- ✦ Endoscopy
- ✦ Endoscopy
- ✦ Endoscopy/Turbinate Reduction
- ✦ Hysteroscopy
- ✦ Mastoidectomy/Tympanostomy
- ✦ Otolaryngology

Genitourinary:

- ✦ Catheterization/Intravesical Treatment
- ✦ Endoscopy Images: Cervix / Vagina / Vulva
- ✦ Cystourethroscopy
- ✦ Circumcision
- ✦ Endometrial Biopsy
- ✦ Hysteroscopy/ablation/
- ✦ IUD/Diaphragm
- ✦ Pessary Insertion
- ✦ Penile Injection
- ✦ Prostate Ultrasound/Biopsy
- ✦ Testosterone Pellets
- ✦ Urethral Dilatation
- ✦ Urodynamic
- ✦ Uroflow
- ✦ Vasectomy

Biopsy/Aspiration:

- ✦ Bone Marrow BX/Asp
- ✦ Core Needle Breast Biopsy/Aspiration
- ✦ Joint Aspiration/Injection
- ✦ Needle Biopsy
- ✦ Percutaneous Biopsy
- ✦ Prostate Biopsy

Notice that all the procedures you've done today are listed here.

Finally, let's look at the Generic popup.

Other:

- ✦ Conscious Sedation
- ✦ EKG
- ✦ Epidural Injection
- ✦ Fracture/Casting/Strapping
- ✦ Foreign Body Removal
- ✦ Generic
- ✦ Lumbar Puncture
- ✦ Nebulizer Treatment
- ✦ Procedure/Test Instructions

Patient Education

Gastrointestinal:

- ✦ Anoscopy
- ✦ Banding/Infrared
- ✦ Colonoscopy
- ✦ EGD
- ✦ Flex Sigmoidoscopy
- ✦ Hemorrhoidectomy
- ✦ Proctosigmoidoscopy

Skin & Nails:

- ✦ Botox
- ✦ Debridement/Burn/Wound
- ✦ Incision & Drainage
- ✦ Laceration Repair
- ✦ Lesion Excision/Shaving
- ✦ Lesion/Wart/Punch/Others
- ✦ Nail Avulsion/Hematoma/Removal
- ✦ Wound Care/Suture Removal

Performed today

Procedure
Incision & drainage abscess, simple/single
Arthrocentesis major joint/bursa
BETAMETHASONE ACET&SOD PHOSP 3MG

Comments:

Empty text box for comments.

Offline Proc Note

Preview Proc Note

Indication:

Description:

Redundant prepuce and phimosis

Code:

605

Status:

Procedure:

Description:

Foreskin manipulation/stretching

Code:

54450

Foreskin was retracted using gauze & digital traction, breaking adhesions.

Here you can document procedures that don't have dedicated popups, & save them as presets for future use. It is helpful to know the diagnosis & procedure codes ahead of time when you use this popup.

There is another lesson that further reviews the use of the Generic Procedure Popup.

Family instructed to gently retract foreskin at least once daily while bathing to prevent recurrence.

Dressing/wound care:

Pre-procedure care:

- Consent was obtained
- Procedure/risks were explained
- Questions were answered
- Prepped and draped

Consent

Follow up:

Return for follow-up:

- Sooner if symptoms persist/worsen
- PRN

Submit to Superbill

Save & Close

Cancel

Pre-procedure care:

- Procedure/Risks were explained
- Questions were answered
- Consent was obtained
- Consent

Alerts

Consent

ENMT:

Genitourinary:

Biopsy/Aspiration:

As discussed in the beginning, it is a good idea to try out any of the procedure templates you think you'll use on a sample patient to learn its idiosyncrasies.

There are, unfortunately, a few misbehaviors in the procedure templates. A separate lesson online reviews some of them, along with some workarounds.

If you find a problem you can't work through, please inform the EHR Team.

- EMG
- Nerve Blocks

Comments:

[Empty text box for comments]

Procedure

Incision & drainage abscess, simple/single

Arthrocentesis major joint/bursa

BETAMETHASONE ACET&SOD PHOSP 3MG

Offline Proc Note

Preview Proc Note

This concludes the
NextGen Procedures demonstration.

For further information, please review the
Procedures Problems & Tips lesson as well.

Being over the hill is much better than being under it.